

GENERAL INQUIRIES: contact@legacyllc.com

ORDERS: orders@legacyllc.com

LegacyLLC.com

415 Concord Avenue Bronx, NY 10455 **T** (718)292-5333 **F** (888)383-3330

HPDC Declaration

HEALTH PRODUCT DECLARATION COLLABORATIVE ARCHITECTURAL SEALS



Legacy Architectural Seals (Silicone) by Legacy Manufacturing

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23842

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: Legacy Architectural Adjustable Seals (Silicone) provide adjustability that helps compensate for gaps, protect against

weather conditions, sound frequency, and helps satisfy some building and fire codes.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- Material
- Product

Threshold level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- C Considered
- C Partially Considered
- Not Considered
- Explanation(s) provided
- for Residuals/Impurities?
- Yes No

All Substances Above the Threshold Indicated Are:

% weight and role provided for all substances. Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic)

and Identifier.

Characterized

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LEGACY ARCHITECTURAL SEALS (SILICONE) [QUARTZ LT-1 | CAN KIESELGUHR, CALCINED LT-UNK CRISTOBALITE LT-1 | CAN ALUMINUM ALLOY NoGS BIS(2,4-DICHLOROBENZOYL)PEROXIDE

LT-P1 | MUL TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Silicone Extruded Rubber Compound

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2021-02-22 PUBLISHED DATE: 2021-02-22

EXPIRY DATE: 2024-02-22



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LEGACY ARCHITECTURAL SEALS (SILICONE)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residual and impurities have not been considered in this product

OTHER PRODUCT NOTES:

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-02-22			
%: 10.0000 - 30.0000	GS: LT-1	RC: N	lone	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcinog	en
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposu route			o chemical form or exposure
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size occupational setting)		arcinogen (respirable size -	
CAN	MAK		Carcin man	ogen Group 1 - S	Substances that cause cancer in
CAN	IARC			1 - Agent is carc	inogenic to humans - inhaled
CAN	IARC		Group	1 - Agent is Card	cinogenic to humans
CAN	GHS - Australia		H350i	- May cause can	cer by inhalation
CAN	GHS - New Zealand		6.7A -	Known or presur	ned human carcinogens
CAN	GHS - Japan		Carcin	ogenicity - Cateo	gory 1A [H350]

KIESELGUHR, CALCINED				ID: 91053-39-3
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SC	2021-02-22	
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

CRISTOBALITE ID: 14464-46-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-02-22			2021-02-22
%: 1.0000 - 5.0000	GS: LT-1	RC: N	one	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNII	NGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		en	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or croute		o chemical form or exposure	
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable occupational setting)		arcinogen (respirable size -	
CAN	MAK		Carcino man	gen Group 1 - S	Substances that cause cancer in
CAN	IARC		•	- Agent is carc cupational sour	inogenic to humans - inhaled ces
CAN	GHS - Australia		H350i -	May cause can	cer by inhalation
CAN	GHS - New Zealand		6.7A - K	ínown or presun	ned human carcinogens
CAN	GHS - Japan		Carcino	genicity - Categ	jory 1A [H350]
SUBSTANCE NOTES: filler reinfe	orcement				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 1.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BIS(2,4-DICHLOROBENZOYL)PEROXIDE

ID: 133-14-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-02-22		
%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
MUL	German FEA - Substances Hazardous t Waters	o Class	s 2 - Hazard to	Waters

SUBSTANCE NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Self-declared ISSUE DATE: 2021-02- EXPIRY DATE: CERTIFIER OR LAB: N/A

N/A

22

APPLICABLE FACILITIES: N/A

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: No Testing Has Been Performed



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Legacy Architectural Adjustable Seals (Silicone) provide adjustability that helps compensate for gaps, protect against weather conditions, sound frequency, and helps satisfy some building and fire codes.

MANUFACTURER INFORMATION

MANUFACTURER: Legacy Manufacturing ADDRESS: 415 CONCORD AVENUE

BRONX New York 10455, United States

WEBSITE: www.legacyllc.com

CONTACT NAME: Will Levine

TITLE: VP

PHONE: **6316556785**

EMAIL: will.levine@legacyllc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.