

GENERAL INQUIRIES: contact@legacyllc.com ORDERS: orders@legacyllc.com

LegacyLLC.com

415 Concord Avenue Bronx, NY 10455 **T** (718)292-5333 **F** (888)383-3330

# **HPDC Declaration**

**HEALTH PRODUCT DECLARATION COLLABORATIVE** KERF GASKETING/ SELF ADHESIVE GASKETING



# **Legacy Mfg Perimeter Seals and Gasketing (Silicone)** by Legacy Manufacturing

**Health Product Declaration v2.2** 

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 23428** 

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: Perimeter seals and gasketing for both interior and exterior openings.

# Section 1: Summary

### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

- C Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

- Material
- Product

Threshold level

- C 100 ppm
- ⊙ 1,000 ppm C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

Yes Ex/SC 
 Yes 
 No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

LEGACY MFG PERIMETER SEALS AND GASKETING (SILICONE) [ QUARTZ LT-1 | CAN SC:ALUMINUM ALLOY Not Screened KIESELGUHR, CALCINED LT-UNK CRISTOBALITE LT-1 | CAN BIS(2,4-DICHLOROBENZOYL)PEROXIDE LT-P1 | MUL TITANIUM DIOXIDE LT-

1 | CAN | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: N/A

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2021-01-15 PUBLISHED DATE: 2021-01-18

EXPIRY DATE: 2024-01-15



## **Section 2: Content in Descending Order of Quantity**

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **LEGACY MFG PERIMETER SEALS AND GASKETING (SILICONE)**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities have not been considered for this product

OTHER PRODUCT NOTES:

**QUARTZ** ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-15 RC: None %: 10.0000 - 30.0000 SUBSTANCE ROLE: Filler GS: LT-1 NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** CAN **IARC** Group 1 - Agent is Carcinogenic to humans CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN Carcinogen - specific to chemical form or exposure route CA EPA - Prop 65 CAN **IARC** Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CAN **US NIH - Report on Carcinogens** Known to be Human Carcinogen (respirable size occupational setting) CAN MAK Carcinogen Group 1 - Substances that cause cancer in GHS - New Zealand CAN 6.7A - Known or presumed human carcinogens CAN GHS - Japan Carcinogenicity - Category 1A [H350] CAN GHS - Australia H350i - May cause cancer by inhalation SUBSTANCE NOTES:

SC:ALUMINUM ALLOY ID: SC:GeoMat					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		E: 2021-01-15	
%: <b>1.0000</b>	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

**Origin: United States** 

SUBSTANCE NOTES:

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials.

Aluminum extrusion for perimeter seals

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-15
%: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS
None found No warnings found on HPD Priority Hazard Lists

CRISTOBALITE		ID: 14464-46-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-15
%: 1.0000 - 5.0000	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
CAN	GHS - Australia	H350i - May cause cancer by inhalation
SUBSTANCE NOTES:		

	BIS(2,4-DICHLOROBENZOYL)PEROXIDE					
	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-01-15	
	%: 0.1000 - 1.0000	GS: <b>LT-P1</b>	RC: None	e NANO: <b>No</b>	SUBSTANCE ROLE: Curing agent	
	HAZARD TYPE	AGENCY AND LIST TITLES	\	WARNINGS		
MUL		German FEA - Substances Hazardous to Waters		Class 2 - Hazard to \	) Waters	
	SUBSTANCE NOTES:					

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-01-15	
%: 0.1000 - 1.0000	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen  Carcinogen - specific to chemical form or exposure rout			
CAN	CA EPA - Prop 65				
CAN	IARC	Group 2B - Possibly carcinogenic to humans from occupational sources		•	
CAN	EU - GHS (H-Statements) H351 - Suspected of causing cancer		causing cancer		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CAN	MAK			- Evidence of carcinogenic effects stablish MAK/BAT value	
CAN	MAK		Carcinogen Group 4 - sk under MAK/BAT I	Non-genotoxic carcinogen with lovevels	

SUBSTANCE NOTES:



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A

ISSUE DATE: 2021-01- EXPIRY DATE: 06

N/A

CERTIFIER OR LAB: N/A

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: NO TESTING HAS BEEN PERFORMED



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

Legacy Mfg offers all rubber related products in Silicone, Nitrile, and Neoprene. We are able to extrude a number of compounds to fit the criteria needed for sustainability and satisfied any code requirement.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Legacy Manufacturing

ADDRESS: 415 Concord Avenue

Bronx NY 10455, USA

WEBSITE: www.legacyllc.com

CONTACT NAME: Will Levine

TITLE: Vice President PHONE: 7182925333

EMAIL: contact@legacyllc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.