

How To Order: Thresholds

Example #30756BR-EPX-36-FA24

Easy Ways To Order

Email
Orders@LegacyLLC.com

Phone
Local: +1 (718) 292-5333
Toll Free: +1 (888) 383-3330


Fax
+1 (888) 383-3330




#3376MA-RUB

PART NUMBER & FINISH - OPTIONS - LENGTH - FASTENERS
30756 BR - EPX - 36 - FA24

PART #	313	3514	3876
	342	3532	3904
	346	3541	3905
	348N	3545	3912
	352	3556	3928
	356	3561	3931
	386	3565	3934
	398N	3571	3935
	752	3574	3938
	3006EJ	3576	3941
	3012	3601	3942
	3028	3612	3948
	3031	3616	3956
	3106EJ	3632	3960DP
	3143	3641	3961
	3144	3645	3962
	3145	3656	3964
	3148	3661	3965
	3221N	3665	3966DP
	3225N	3669	3971
	3232	3676	3976
	3276	3701	7563
	3291	3712	30145
	3292	3741	30176
	3325	3745	30756
	3332	3756	31056
	3376	3761	31145
	3425	3762	31245
	3432	3776	34761
	3441	3812	35756
	3445	3815N	35761
	3456	3841	35861N
	3461	3845	36761
3465	3856	36861N	
3476	3861	37861N	
3486	3862	39766N	
3512			



#3465MA




#30756BR

FINISH
 Finishes vary by product. Please check available finishes listed for each product.
BR - Architectural Bronze
DP - Diamond Plate
MA - Mill Aluminum
MB - Matte Black Powder Coat
SS - Stainless Steel
ST - Steel

OPTIONS
 Options vary by product. Please check available options listed for each product.
Blank - No Option **LIG** - Ligature Resistant
ACF - Aluminum Composite Filler **ORB** - Oil-Rubbed Bronze
EPX - Epoxy Abrasive **PEPX** - Photoluminescent Epoxy Abrasive
FL - Fire Label **POL** - Polished Bronze
LA - Lead Anchors **RUB** - Rubber Grip

LENGTH Please specify to nearest 1/16"

FASTENERS **Blank** - Standard **Fastener Options** - FA21 - FA22 - FA 23 - FA24 - FA26 (see page 27 for details) #3966DPSS



#3966DPSS

Accessories & Options




EPOXY ABRASIVE
(EPX)

This exceptionally strong, slip-resistant surface provides maximum durability and safety, especially for high-traffic outdoor applications. Ideal for parks, schools, hospitals, and industrial buildings. The epoxy abrasive particle mix is bonded to the aluminum base.




RUBBER GRIP
(RUB)

Typically used for interior applications. In place of conventional rubber inserts, our unique process chemically applies non-slip rubber to threshold grooves for enhanced grip and strength.



ALUMINUM COMPOSITE FILLER
(ACF)

Strengthens and reinforces thresholds to prevent bending or crushing under high-traffic and heavyweight use in schools, industrial and manufacturing plants, and other high-stress applications.



PHOTOLUMINESCENT EPOXY ABRASIVE
(PEPX)


Threshold grooves are filled with a proprietary photoluminescent epoxy that emits luminescence after charging by exposure to ambient light. Specify for compliance with code requirements for photoluminescent stairwell and exit path markings.




Thresholds
Saddles

Floor Closer Cover Plates For use on thresholds that are 7" or wider. Left hand shown on all diagrams below. Specify handing with RH or LH.


Type 1
For doors hung in center of frame




Type 3
For use with all offset closers and pivot sets



Type 4
For doors hung flush with face of frame



Type 5
For use with offset closers and pivot sets



Fasteners / Anchors

- #FA26
- #FA21
- #FA22
- #FA23
- #FA24




PRODUCT SPECIFICATIONS

#FA26	Stainless Steel Sleeve Anchor 1/4 x 3" Long
#FA21	Plastic Shields For Wood Screws #10 Flat Phillips SMS (Screw lengths: 1-1/4", 1-1/2", or 1-3/4")
#FA22	Lead Shields For Wood Screws #10 Flat Phillips SMS (Screw lengths: 1-1/4", 1-1/2", or 1-3/4")
#FA23	Anchors With 10-24 Machine Screws MSLA-10
#FA24	Anchor With 1/4 -20 Machine Screw MSLA-4



Adjustable Thresholds

FINISHES: MA
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"





#386MA, #3576MA, #3962MA

Thresholds / Saddles



Expansion Joint Configurations




LEGACY	3276	3376	3476	3576	3676	3776	3876	3976	30176	348N	398N
NGP	8142	8143	8144	8145	8146	8147	8148	8149	8150	8168N	-
PEMKO	190A	191A	192A	2266A	193A	-	228A	-	-	-	-
ZERO	672A	673A	674A	675A	676A	-	678A	-	6710A	84R	89N


LEGACY	386	3862	3962	3964	3031	3931	3861	3601
NGP	8140	8139	BAR4	BAR1	57	58	8141	8134
PEMKO	195A	200	2961	2949	183	188	194	3261
ZERO	68A	268A	269A	469A	-	-	168A	106A




#3962




#386




#3964




#3862




#3031




#3931



#3861




#3601



#3376



#3276



#398N



#348N



#30176 10"



#3976 9"



#3876 8"



#3776 7"



#3676 6"



#3576 5"



#3476 4"



#3376 3"



#398N 2"



#348N 1"



Thresholds
Saddles


#3445



#3545



#3645




#3445MA-EPX


#3745




#3845





#30145



#31145



#31245



Thresholds
Saddles


LEGACY	3445	3545	3645	3745	3845	30145	31145	31245
NGP	413	513	613	713	813	1013	-	-
PEMKO	270A	271	272	276A	2748	2750	-	-
ZERO	544A	545A	546A	547A	548	-	-	-

FINISHES: MA


OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"

#3456



#3556 Also available in **BK** - Black Anodized Aluminum




#3669




#3756 *Also available in Architectural Bronze **30756BR**





#3856



#3956



#31056




#3556BK

Thresholds
Saddles

LEGACY	3456	3556	3656	3756	3856	3956	31056
NGP	424	425	950N	425E	428E	429E	430E
PEMKO	170A	1665A	171A	176A	2548	2549	2550
ZERO	654A	655A	656A	8655A	-	-	-

FINISHES: MA
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


#3904



#3905




#3461 




#3656  *Also available in Architectural Bronze **3656BR**




#35756




#346



#3425



#3325




LEGACY	3904	3905	3461	3656	35756	346	3425	3325
NGP	324	325	412	426	8745	-	-	-
PEMKO	227	229	175	172	-	-	-	-
ZERO	1674	1675A	164A	656A	6575A	-	524A	523A

FINISHES: MA


OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


#3292



#395




#3465 *Also available in **BA** - Black Anodized Aluminum




#3465MA


#356



#3665




#3565




#3665MA

#3291



#3935



LEGACY	3465	395	3292	356	3665	3565	3291	3935
NGP	8135N	-	-	896N	950N	897N	-	891
PEMKO	2008APK	-	-	2005AT	2005-Q	277	-	185
ZERO	564A	-	-	65A	566A	565A	-	-

FINISHES: MA
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


#3441




#3641



#3541




#3741




#3616




#3841 *Also available in **BK** - Black Anodized Aluminum





#34761 *Also available in **BK** - Black Anodized Aluminum



#35761



#36761




LEGACY	3441	3541	3641	3741	3616	3841	34761	35761	36761
NGP	215	417	315	415	-	323	327	350	-
PEMKO	278A	279A	273A	274A	-	253A	254A	255A	-
ZERO	-	1545A	-	-	-	1674A	1674A	1675A	-

FINISHES: MA
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"

Thresholds
Saddles

#3143



#3144




#3145




#3486



#342




#352



#3144MA

Thresholds
Saddles




EPX Option

ACF Option

#3486MA-ACF-EPX


Stop Strips Can be surface-mounted to any threshold.

#3574  



FINISHES: CA, MB, WP
OPTIONS: **LIG** - Ligature Resistant **FL** - Fire Label **S-WH** - White Silicone

#313 




FINISHES: CA, MB, WP
OPTIONS: **LIG** - Ligature Resistant **FL** - Fire Label **S-WH** - White Silicone

LEGACY	3143	3144	3145	3486	342	352	3574	313
NGP	-	-	-	404	-	-	-	-
PEMKO	-	-	-	2364A	-	-	-	-
ZERO	-	-	-	-	-	-	-	-


FINISHES: MA
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"

Thresholds / Saddles


#3512




#3612




#3712




#3812




#3965



#3912



#3012



#3712MA

NO
COMPETITOR
EQUIVALENTS

Thermal break thresholds are useful for doorways subject to extreme temperature differentials, such as building exterior entrances or unheated stairwell enclosures. Proprietary, non-conductive thermal break material inhibits the transmission of thermal energy at the door bottom.

FINISHES: MA

OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


#3532




#3632





#3332



#3432



#3232





#3332MA

Thresholds
Saddles

Custom Ramps

Legacy can manufacture ramps to your specifications, including features such as our epoxy abrasive, photoluminescent epoxy and cover plates.










LEGACY	3232	3332	3432	3532	3632
NGP	954	953	-	-	R50
PEMKO	RAMP5	RAMP5A	-	-	RAMP4A
ZERO	232	233	234	235	236

FINISHES: MA

OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"

Thresholds
Saddles




LEGACY	3028	3934	3938	3941	3942	3948	3928
NGP	-	-	-	-	-	-	-
PEMKO	-	-	-	-	-	-	-
ZERO	-	-	-	-	-	-	-

FINISHES: MA


OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"



#3148BR




#3971BR



#3571BR



Thresholds
Saddles



LEGACY	3148BR	3971BR	3571BR
NGP	484BR	-	-
PEMKO	-	-	-
ZERO	-	-	-


FINISHES: BR

OPTIONS: ACF, EPX, FL, LA, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


Thresholds / Saddles

#3545BR




#30756BR


#3656BR




#3514BR



#30756BR




#3465BR




OPTIONS: EMI/RFI - Electromagnetic/Radio Frequency Interference


#3762BR



#3512BR



#3292BR




LEGACY	3545BR	3656BR	3514BR	30756BR	3465BR	3762BR	3512BR	3292BR
NGP	513BR	426B	-	427BR	-	-	-	-
PEMKO	271B	172B	-	176B	-	-	-	-
ZERO	545B	656B	-	657B	564B	-	-	-


FINISHES: BR
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"




#386BR



#3862BR



#3701BR



#3676BR 6"



#3576BR 5"



#3476BR 4"




#3376BR 3"



#3276BR 2"

Thresholds
Saddles

Various Configurations Configurations made from adjustable bronze thresholds.



LEGACY	386BR	3862BR	3701BR	3276BR	3376BR	3476BR	3576BR	3676BR
NGP	8140BR	-	8134BR	8142BR	8143BR	8144BR	8145BR	8146BR
PEMKO	195B	-	3261B	190B	191B	192B	-	193B
ZERO	68B	268B	107B	672B	673B	674B	675B	676B


FINISHES: BR
OPTIONS: ACF, EPX, FL, LA, PEPX, RUB
NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"

Expansion Joint Plates

#3006EJ



#3106EJ



#3106EJ-EPX


FINISHES: MA, SS

OPTIONS: ACF, EPX, FL, LS, PEPX, RB

AVAILABLE SIZES: Specify for custom widths up to 48", lengths up to 120"

NOTES: Edges are **not beveled** and plates are **not drilled** unless specified.

#3960DP DIAMOND TREAD PLATE





#3960DPSS

FINISHES: MA, SS, ST

AVAILABLE SIZES: Width Range: 2" - 48" - Length Range: 12" - 144"

NOTES: Edges are **not beveled** and plates are **not drilled** unless specified.

#3966DP DIAMOND-PLATE BULKHEAD THRESHOLDS



#3966DPMA



FINISHES: MA, SS, ST

NOTES:

- Custom order - Specify dimensions of A, B, C, D
- E dimension must be 1"
- Drawing is not drawn to scale

LEGACY	3006EJ	3106EJ	3960DP	3966DP
NGP	818	814	828	-
PEMKO	18/1A	14/1A	-	-
ZERO	600CP	601CP	-	669DP

#3461SS




#3461SS


#3561SS




#3661SS




#3761SS



#3861SS



#3961SS



Thresholds
Saddles


LEGACY	3461SS	3561SS	3661SS	3761SS	3861SS	3961SS
NGP	412SS	512SS	612SS	712SS	812SS	-
PEMKO	175SS	154SS	-	-	-	-
ZERO	664ST	-	-	-	-	-

FINISHES: SS


OPTIONS: ACF, EPX, LS, PEPX, RUB

NOTES: Flathead Zinc-plated screws - #10 x 1-1/2"


39766N



3225N




3221N




#3221N


#35861N



#36861N



#37861N



#35861N

LEGACY	39766N	3225N	3221N	35861N	36861N	37861N
NGP	-	-	-	401	402	-
PEMKO	-	-	-	-	-	-
ZERO	-	-	-	1685N	-	-

MATERIAL: N - Neoprene

Thresholds
Saddles